



**MATERIAL SAFETY DATA SHEET**  
**Per 29 CFR 1910.1200**

HEALTH	1	0-LEAST 1-SLIGHT
FLAMMABILITY	1	2-MODERATE 3-MILD
REACTIVITY	0	4-EXTREME

IDENTITY (As used on Label and List): **FINISH IN 1228**

**SECTION I**

EMERGENCY PHONE NUMBER: Tel (313) 933-4211  
 Fax (313) 933-4454

**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

Values reported as TWA unless noted

HAZARDOUS COMPONENTS:	CAS#	OSHA-PEL	ACGIH-TLV	LD50	TLV
DEG Methyl Ether	111773	N/A	N/A		NE
Tributoxyethyl Phosphate	78513	N/A	N/A		NE
Zinc Ammonium Carbonate	38714475	N/A	N/A		25 ppm (NH3)

Key: **PEL:** Permissible Exposure Limit **TLV:** Threshold Limit Value **STEL:** Short Term Exposure Limit  
**N/A:** Not Applicable **N/D:** Not Determined **N/E:** Not Established **Y:** Yes **N:** No  
**302:** CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4)  
**355:** SARA TITLE III/ List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355)  
**372:** SARA TITLE III/ List of Toxic chemicals subject to Release Reporting (Community Right to Know) (10 CFR 372)

**SECTION III - PHYSICAL CHARACTERISTICS**

BOILING POINT:	212 F	SPECIFIC GRAVITY (H <sub>2</sub> O=1):	1.055
VAPOR PRESSURE@20°C	N/A	VAPOR AIR DESITY (Air=1):	>1
SOLUBILITY IN WATER:	Complete	MELTING POINT:	N/A
EVAPORATION RATE:	Slower than n-Butyl Acetate	pH:	8.5 +/- 0.5
APPEARANDCE & ORDER:	White Milky Emulsion, Typical Acrylic odor.		

**SECTION IV - FIRE & EXPLSION HAZARD DATA**

FLASH POINT:	280 F
FLAMMABLE LIMITS:	LEL-N/A UEL-N/A
EXTINGIISHING MEDIA:	Foam or Carbon Dioxide or Dry chemical.
SPECIAL FIRE FIGHTING PROCEDURES:	Wear self-contained breathing apparatus with full face piece.
UNUSUAL FIRE & EXPLOSION HAZARDS:	NONE

**SECTION V - REACTIVITY DATA**

STABILITY:	STABLE
CONDITIONS TO AVOID:	Avoid Freezing
INCOMPATIBLE MATERIALS:	Avoid strong oxidizing agents
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	N/A
HAZARDOUS POLYMERIZATION:	Will not occur.

